


Montage ALCYO 7000 & 9000 CC avec MULTIBLOCK CT

SIMPLY CONNECT

13 janvier 2015

Service Développement





For You and Planet Blue.




Adoucisseur 7000 CC ALCYO – SIMPLY CONNECT

For You and Planet Blue.



Repère	Cote (mm)						
	ALCYO 7050	ALCYO 7075	ALCYO 7100	ALCYO 7125	ALCYO 7150	ALCYO 7200	ALCYO 7300
A	1350 - 1380	1830 - 1860	1830 - 1860	1830 - 1860	1920 - 1960	1810 - 1840	2050 - 2090
B	1475 - 1505	1955 - 1985	1955 - 1985	1955 - 1985	2045 - 2085	1935 - 1965	2175 - 2215
C	1645 - 1675	2125 - 2155	2125 - 2155	2125 - 2155	2215 - 2255	2105 - 2135	2345 - 2385
D	< 645						
E	Ø 370	Ø 370	Ø 370	Ø 370	Ø 470	Ø 550	Ø 470
F	Ø 710	Ø 710	Ø 710	Ø 710	Ø 660	Ø 660	Ø 660
G	480	480	480	480	1300	1300	1300
H	790	790	790	790	1435	1435	1435
Hauteur min. pour démontage vanne	200						



Repère	Cote (mm)				
	ALCYO 9125	ALCYO 9175	ALCYO 9225	ALCYO 9300	ALCYO 9400
A	1860 - 1895	1950 - 1990	1840 - 1870	2080 - 2120	2225 - 2265
B	1980 - 2015	2070 - 2110	1960 - 1990	2200 - 2240	2345 - 2385
C	2150 - 2185	2240 - 2280	2130 - 2160	2370 - 2410	2520 - 2560
D	< 595				
E	Ø 405	Ø 470	Ø 550	Ø 610	Ø 770
F	Ø 660	Ø 660	Ø 660	Ø 760	Ø 760
G	1300				
H	1435				
Hauteur min. pour démontage vanne	235				